

S21	109	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 22:34
S22	78	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 22:38
S23	78	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 22:40
S24	73	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/06 22:41
S25	42	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 00:53
S27	4473	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 00:53
S28	519	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 00:53
S29	1	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S30	1	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S31	409	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00

S32	225	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S33	5	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S34	38	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:10
S35	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S36	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S37	139	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S38	350	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S39	289	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S40	468	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S41	1198	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00

S42	0	S34 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S43	50	S37 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S44	49	S37 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S45	36	S37 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S46	0	S37 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S47	42	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S48	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S49	126	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S50	91	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S51	91	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00

S52	85	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S53	47	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:34
S54	5055	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S55	573	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:00
S56	22968	block near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:10
S57	2274	block near5 command same (access\$3) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:12
S58	1126	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:41
S59	202	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 14:49
S60	108	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:01

S61	47	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and data near5 (access\$3 retrieve\$3 request\$3) same network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:13
S62	491	block near3 command with data with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:03
S63	64	block near3 command with data with access\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:03
S64	45	block near3 command with data with access\$3 and token and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:05
S65	3611	remote near3 data near3 storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:06
S66	30	remote near3 data near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:14
S67	94	remote near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:14
S68	65	S67 not S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/22 15:15
S69	4	("6230272").URPN.	USPAT	OR	ON	2005/09/25 20:03
S70	2	("5506961").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/25 20:13

S71	1	((first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S72	1	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S73	409	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S74	225	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S75	5	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S76	38	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S77	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S78	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S79	139	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S80	350	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15

S81	289	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S82	468	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S83	1198	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S84	0	S76 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S85	50	S79 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S86	49	S79 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S87	36	S79 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S88	0	S79 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S89	42	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S90	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15

S91	126	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S92	91	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S93	91	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S94	85	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S95	47	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S96	5055	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S97	573	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S98	1	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S99	409	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S100	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15

S10 1	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S10 2	139	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S10 3	350	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S10 4	289	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S10 5	468	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S10 6	1198	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S10 7	38	((token) with (storage near3 (address location (device adj id ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S10 8	0	S107 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S10 9	49	S102 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S11 0	0	S102 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15

S11 1	126	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S11 2	5055	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S11 3	573	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S11 4	1	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S11 5	5	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S11 6	38	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S11 7	50	S102 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S11 8	36	S102 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S11 9	42	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S12 0	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15

S12 1	91	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S12 2	91	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S12 3	85	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S12 4	47	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S12 5	225	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S12 6	22975	block near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S12 7	2274	block near5 command same (access\$3) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S12 8	1127	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S12 9	202	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15

S13 0	108	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S13 1	47	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and data near5 (access\$3 retrieve\$3 request\$3) same network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S13 2	491	block near3 command with data with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S13 3	64	block near3 command with data with access\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S13 4	45	block near3 command with data with access\$3 and token and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S13 5	3615	remote near3 data near3 storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S13 6	30	remote near3 data near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S13 7	94	remote near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15
S13 8	65	S137 not S136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 20:15

S13 9	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 21:20
S14 0	39	("5506961").URPN.	USPAT	OR	ON	2005/09/25 21:10
S14 1	39	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 21:22
S14 2	39	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 21:23
S14 3	22	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S140 and (token cookie string)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 21:53
S14 4	3073	scsi near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 21:47
S14 5	26	scsi near5 command same token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 21:47
S14 6	1	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S140 and (token cookie string) and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 22:18
S14 7	1021	711/113.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 22:04

S14 9	3	711/113.ccls. and token near5 access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 22:06
S15 1	226	token same ((disk near5 command) or (block near5 command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 22:08
S15 2	138	token same ((disk near5 command) or (block near5 command)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 22:13
S15 3	75	token same ((disk near5 command) or (block near5 command)) and (authenticat\$3 authoriz\$6 verif\$8) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 22:14
S15 4	107	token same (authenticat\$3 authoriz\$6 verif\$8) and ((disk near5 command) or (block near5 command)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 22:14
S15 5	107	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retriev\$3 request\$3 network) and S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 22:47
S15 6	2	("6092149").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/25 22:47
S15 7	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retriev\$3 request\$3 network) and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 23:42
S15 8	1	("6567853").URPN.	USPAT	OR	ON	2005/09/25 23:39
S16 0	1	("6567853").URPN.	USPAT	OR	ON	2005/09/25 23:41

S16 1	38	("4649473" "5204954" "5212784" "5404527" "5566331" "5584042" "5590334" "5613124" "5613155" "5694615" "5793965" "5835724" "5838916" "5857188" "5862339" "5867661" "5893116" "5893918" "5903733" "5905872" "5915093" "5940841" "5996014" "6003084" "6006268" "6014702" "6023698" "6029175" "6032224" "6088451" "6092196" "6108703" "6192408" "6240417" "6247055" "6247139" "6275953" "6298380").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/25 23:41
S16 2	38	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retreiv\$3 request\$3 network) and S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 23:42
S16 3	12	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retreiv\$3 request\$3 network) and S161 and (token cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 23:54
S16 4	8	scsi same (command adj ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 23:56
S16 5	2	scsi same (command adj ID) and (token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 23:57
S16 6	238	DASD near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 23:58
S16 7	23	DASD near5 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 00:01

S16 8	568	(scsi disk ata DASD) near5 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 00:02
S16 9	554	(scsi disk ata) near5 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 00:02
S17 0	7	(scsi disk ata) near5 command and token and (access\$4 adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 00:05
S17 1	8	(scsi disk ata (data adj storage)) near7 command and token and (access\$4 adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 00:06
S17 2	732	(scsi disk ata (data adj storage)) near7 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 00:07
S17 4	380	(scsi disk ata (data adj storage)) near5 command and token and (authenticat\$3 authoriz\$6 verif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 00:12
S17 5	237	(scsi disk ata (data adj storage)) near5 command and token and (authenticat\$3 authoriz\$6 verif\$8)and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 00:12
S17 8	479	token with (disk storage) with (address\$2 location ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:08
S17 9	6	token with (disk storage) with (address\$2 location ID) same (scsi block disk) near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 09:10
S18 0	52	token with (disk storage) with (address\$2 location ID) same command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 10:04

S18 1	1242	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 10:06
S18 3	632	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 10:09
S18 4	622	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 10:18
S18 5	171	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3 and application and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 10:19
S18 6	69	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3 and application and authoriz\$6 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 10:26
S18 7	1025	710/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 10:27
S18 8	61	710/107.ccls. and token and command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 10:32
S18 9	37	710/107.ccls. and token and command and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 10:32

S19 0	49	("3673576" "3725864" "4040037" "4272815" "4841475" "5008808" "5084877" "5218680" "5260933" "5367661" "5396596" "5442637" "5526484" "5528605" "5566304" "5577172" "5584039" "5584041" "5611070" "5640596" "5666358" "5708961" "5748684" "5764392" "5768530" "5787256" "5835925" "5845147" "5870625" "5872911" "5878227" "5901327" "5930480" "5938735" "5952932" "5959995" "5960436" "6000012" "6014383" "6018779" "6029008" "6052744" "6138161" "6167459" "6170023" "6185203" "6188702" "6205498" "6240446").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 10:42
S19 1	49	("3673576" "3725864" "4040037" "4272815" "4841475" "5008808" "5084877" "5218680" "5260933" "5367661" "5396596" "5442637" "5526484" "5528605" "5566304" "5577172" "5584039" "5584041" "5611070" "5640596" "5666358" "5708961" "5748684" "5764392" "5768530" "5787256" "5835925" "5845147" "5870625" "5872911" "5878227" "5901327" "5930480" "5938735" "5952932" "5959995" "5960436" "6000012" "6014383" "6018779" "6029008" "6052744" "6138161" "6167459" "6170023" "6185203" "6188702" "6205498" "6240446").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 10:43
S19 2	49	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 request\$3 network) and S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:46
S19 3	7	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 request\$3 network) and S191 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:31

S19 4	129	first adj token and second adj token and command and (scsi disk storage) and (address\$3 location id) and (controller server manager) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 11:48
S19 5	65	first adj token and second adj token and command and (scsi disk storage) and (address\$3 location id) and (controller server manager) and network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:01
S19 6	1015	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:03
S19 7	396	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment) and command and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:22
S19 8	35	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment) and (command instruct\$3) and network and scsi and I/O	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:04
S19 9	41	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment) and (command instruct\$3) and network and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:52
S20 0	198	token with (authentica\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:54
S20 1	89	token with (authentica\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 12:55
S20 2	26	token with (authentica\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3) and (storage disk SCSI) near5 access\$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:17
S20 3	17	("5627967").URPN.	USPAT	OR	ON	2005/09/26 13:04

S20 4	1	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S203 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:12
S20 5	7	("6161145").URPN.	USPAT	OR	ON	2005/09/26 13:11
S20 6	2	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S205 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:12
S20 7	30	token with (authentica\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3) and (storage disk SCSI) near5 (controll\$3 access\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:17
S20 8	4	S207 not S202	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 13:21
S20 9	0	"98106923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:18
S21 0	5	"6134709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:22
S21 1	21	"5809279"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:02
S21 2	0	"5809279" and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:02
S21 3	4	"5809279" and (tiket authentica\$3 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:03

S21 5	21	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 command block scsi disk request\$3 network) and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 12:39
S21 6	5	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 command block scsi disk request\$3 network) and S210	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:45
S21 7	446	(token ticket) with (device storage) adj (ID location address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:35
S21 8	22	(token ticket) with (device storage) adj (ID location address) and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:26
S21 9	3	(token ticket) near7 (device storage) adj (ID location address) and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:27
S22 0	219	(token ticket) near7 (device storage) adj (ID location address) and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:27
S22 1	143	(token ticket) near7 (device storage) adj (ID location address) and storage and disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:29
S22 2	33	(token ticket) and command adj data adj block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:30
S22 3	1424	(token ticket) and command adj3 (block word)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 15:32

S22 4	1023	(token ticket) and command adj3 (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:29
S22 5	965	iscsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:30
S22 6	94	iscsi and (token ticket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:34
S22 7	8	storage adj network adj protocol and (token ticket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:35
S22 8	54	(token ticket) with (device storage) adj (ID location address) and remote with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 13:36
S23 0	54	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 protocol control\$4 command block scsi disk request\$3 network) and S228	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 21:06
S23 1	69	xfs and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 14:04
S23 2	8	(extended adj file adj system) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 14:08
S23 3	261	(token ticket) and command adj3 (block word) and remote with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 15:32

S23 4	50	(token ticket) and command adj3 (block word) and remote with access\$3 and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 17:14
S23 5	5	(token ticket) with (ID username password device address storage) and command adj3 (block word) and remote with access\$3 and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 15:34
S23 6	330	token with storage and remote with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:09
S23 7	55087	token or ticket and (write or read or update) adj command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:10
S23 8	44	(token or ticket) and (write or read or update) adj command and remote adj access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:12
S23 9	31	(token or ticket) and (write or read or update) adj command and "ISCSI"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:14
S24 0	132	(token or ticket) and (write or read or update) adj command and SCSI adj3 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:15
S24 1	86	(token or ticket) and (write or read or update) adj command and SCSI adj3 command and remote and (access\$3 retrieve\$3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 21:52

File 347:JAPIO Nov 1976-2005/Apr(Updated 050801)

(c) 2005 JPO & JAPIO

File 350:Derwent WPIX 1963-2005/UD,UM &UP=200561

(c) 2005 Thomson Derwent

Set	Items	Description
S1	562	(BLOCK OR SCSI OR SMALL() COMPUTER() SERIAL() INTERFACE) (2W) C- OMMAND? ?
S2	356	(DISK OR DISC? ?) (2W) COMMAND? ?
S3	345622	TOKEN? ? OR AUTHENTICAT? OR TICKET? ? OR PERMISSIONS OR PR- IVILEGES OR RIGHTS OR CREDENTIAL? ? OR AUTHENTICAT? OR IDENTI- TY OR ID? ? OR IDENTIFIER? ? OR IDENTIFICATION OR AUTHORIZ? OR AUTHORIS? OR AUTHORITY
S4	67	S1:S2 AND S3
S5	1	PN=US 20020112178
S6	0	S4 AND S5
S7	3102990	STORAGE? ? OR DISC? ? OR DISK? ? OR DRIVE OR DRIVES OR SAN OR (FIBRE OR FIBER) () CHANNEL? ? OR SERVER? ? OR NETWORK? ? OR LAN OR DISTRIBUTED(1W) (MEDIA OR MEDIUM OR COMMUNICATION) OR P- ROXY OR PROXIES OR GATEWAY? ?
S8	2367332	HOST? ? OR CLIENT? ? OR PC? ? OR COMPUTER? ? OR TERMINAL? ? OR WORKSTATION? ? OR WORK() STATION? ? OR NODE? ? OR USER? ? - OR ENDUSER? ?
S9	35	S4 AND S7 AND S8
S10	13	S9 AND AC=US/PR AND AY=(1970:2001)/PR
S11	19	S9 AND AC=US AND AY=1970:2001
S12	19	S9 AND AC=US AND AY=(1970:2001)/PR
S13	27	S9 AND PY=1970:2001
S14	31	S10:S13
S15	10	S1:S2 AND (PASSWORD? ? OR PIN? ?)
S16	6	S15 AND S7 AND S8
S17	4	S16 NOT S14

File 275:Gale Group Computer DB(TM) 1983-2005/Sep 27
 (c) 2005 The Gale Group
 File 621:Gale Group New Prod.Annou.(R) 1985-2005/Sep 28
 (c) 2005 The Gale Group
 File 636:Gale Group Newsletter DB(TM) 1987-2005/Sep 27
 (c) 2005 The Gale Group
 File 16:Gale Group PROMT(R) 1990-2005/Sep 27
 (c) 2005 The Gale Group
 File 160:Gale Group PROMT(R) 1972-1989
 (c) 1999 The Gale Group
 File 148:Gale Group Trade & Industry DB 1976-2005/Sep 28
 (c) 2005 The Gale Group
 File 624:McGraw-Hill Publications 1985-2005/Sep 27
 (c) 2005 McGraw-Hill Co. Inc
 File 15:ABI/Inform(R) 1971-2005/Sep 28
 (c) 2005 ProQuest Info&Learning
 File 647:CMP Computer Fulltext 1988-2005/Sep W2
 (c) 2005 CMP Media, LLC
 File 674:Computer News Fulltext 1989-2005/Sep W4
 (c) 2005 IDG Communications
 File 696:DIALOG Telecom. Newsletters 1995-2005/Sep 27
 (c) 2005 Dialog
 File 369:New Scientist 1994-2005/Jun W4
 (c) 2005 Reed Business Information Ltd.

Set	Items	Description
S1	2281	(BLOCK OR SCSI OR SMALL()COMPUTER() (SERIAL OR SYSTEM) () (INTERFACE OR INTERCONNECT)) (2W)COMMAND? ?
S2	894	(DISK OR DISC? ?) (2W)COMMAND? ?
S3	5269986	TOKEN? ? OR AUTHENTICAT? OR TICKET? ? OR PERMISSIONS OR PRIVILEGES OR RIGHTS OR CREDENTIAL? ? OR AUTHENTICAT? OR IDENTITY OR ID OR IDS OR IDENTIFIER? ? OR IDENTIFICATION OR AUTHORIZ? OR AUTHORIZ? OR AUTHORITY OR PASSWORD? ? OR PIN? ?
S4	10779356	STORAGE? ? OR DISC? ? OR DISK? ? OR DRIVE OR DRIVES OR SAN OR (FIBRE OR FIBER)()CHANNEL? ? OR SERVER? ? OR NETWORK? ? OR LAN OR DISTRIBUTED(1W) (MEDIA OR MEDIUM OR COMMUNICATION) OR PROXY OR PROXIES OR GATEWAY? ?
S5	12047672	HOST? ? OR CLIENT? ? OR PC? ? OR COMPUTER? ? OR TERMINAL? ? OR WORKSTATION? ? OR WORK()STATION? ? OR NODE? ? OR USER? ? - OR ENDUSER? ?
S6	67	S1:S2(20N)S3
S7	44	S6(50N)S4(50N) (S5 OR INITIATOR? ?)
S8	30	RD (unique items)
S9	25	S8 NOT PY=2002:2005

File 348:EUROPEAN PATENTS 1978-2005/Sep W03

(c) 2005 European Patent Office

File 349:PCT FULLTEXT 1979-2005/UB=20050922,UT=20050915

(c) 2005 WIPO/Univentio

Set	Items	Description
S1	1951	(BLOCK OR SCSI OR SMALL()COMPUTER() (SERIAL OR SYSTEM) () (INTERFACE OR INTERCONNECT)) (2W)COMMAND? ?
S2	640	(DISK OR DISC? ?) (2W)COMMAND? ?
S3	873638	TOKEN? ? OR AUTHENTICAT? OR TICKET? ? OR PERMISSIONS OR PRIVILEGES OR RIGHTS OR CREDENTIAL? ? OR AUTHENTICAT? OR IDENTITY OR ID OR IDS OR IDENTIFIER? ? OR IDENTIFICATION OR AUTHORIZ? OR AUTHORIS? OR AUTHORITY OR PASSWORD? ? OR PIN? ?
S4	931642	STORAGE? ? OR DISC? ? OR DISK? ? OR DRIVE OR DRIVES OR SAN OR (FIBRE OR FIBER) ()CHANNEL? ? OR SERVER? ? OR NETWORK? ? OR LAN OR DISTRIBUTED(1W) (MEDIA OR MEDIUM OR COMMUNICATION) OR PROXY OR PROXIES OR GATEWAY? ?
S5	1825042	HOST? ? OR CLIENT? ? OR PC? ? OR COMPUTER? ? OR TERMINAL? ? OR WORKSTATION? ? OR WORK()STATION? ? OR NODE? ? OR USER? ? - OR ENDUSER? ?
S6	247	S1:S2 (20N) S3
S7	87	S6 (50N) S4 (50N) S5
S8	45	S7 AND AC=US/PR AND AY=(1970:2001)/PR
S9	45	S7 AND AC=US AND AY=1970:2001
S10	42	S7 AND PY=1970:2001
S11	58	S8:S10
S12	58	IDPAT (sorted in duplicate/non-duplicate order)